




MANUFACTURING NO HYDRANTS, NO PROBLEM

2020 CATALOG



Rural, Wildland, Suburban & Resupply

The Flow Starts Here
Powerful, Portable, Pumps
Since 1908

Visit us at fire-pump.com

High- Portab



PFP-9hp-DSL

325 GPM @ 10 PSI
130 GPM @ 50 PSI
70 GPM @ 75 PSI



PFP-10hp-DSL

250 GPM @ 10 PSI
165 GPM @ 50 PSI
70 GPM @ 85 PSI



PFP-18hpVGD-1D

390 GPM @ 25 PSI
130 GPM @ 100 PSI
45 GPM @ 125 PSI



PFP-18hpVGD-2D-CE

370 GPM @ 25 PSI
250 GPM @ 50 PSI
15 GPM @ 125 PSI



PFP-20hpHND-1D

550 GPM @ 10 PSI
310 GPM @ 50 PSI
130 GPM @ 100 PSI




MANUFACTURING

NO HYDRANTS, NO PROBLEM

PFP = Portable Fire Pump
HND = Honda Gas Engine
VGD = Vanguard Gas Engine
KHL = Kohler Gas Engine
DSL = Diesel Engine
MR = Mid-Range

M = Manual Pull Start
E = Electric Push Button Start
Twin = Two Impellers
1D = One Discharge Line
2D = Two discharge Lines



PFP-20hpKHL-2D

490 GPM @ 10 PSI
165 GPM @ 100 PSI
90 GPM @ 125 PSI



PFP-27hp-2D

485 GPM @ 25 PSI
170 GPM @ 100 PSI
85 GPM @ 125 PSI



PFP-11hp-HND-M

290 gpm at 10 PSI
120 gpm at 50 PSI
80 gpm at 100 PSI

Volume le Pumps



PFP-23hpVGD-2D

550 GPM @ 10 PSI
330 GPM @ 50 PSI
50 GPM @ 125 PSI



PFP-9hpHND-EM

200 GPM @ 25 PSI
100 GPM @ 75 PSI
60 GPM @ 100 PSI



PFP-11hp-HND-EM

290 GPM @ 10 PSI
120 GPM @ 75 PSI
80 GPM @ 100 PSI



Visit us at fire-pump.com

The Flow Starts Here
Powerful, Portable, Pumps
Since 1908
Call us at 800-567-2719

OUR PRODUCTS ARE DESIGNED IN USE OF FIRE AND EMERGENCY ENVIRONMENTS



PFP-20hpKHL-1D

485 GPM @ 10 PSI
140 GPM @ 100 PSI
65 GPM @ 125 PSI



PFP-18hpVGD-1D-CE

390 GPM @ 25 PSI
130 GPM @ 100 PSI
45 GPM @ 125 PSI



PFP-18hpVGD-2D

370 GPM @ 25 PSI
250 GPM @ 50 PSI
15 GPM @ 125 PSI



PFP-20hpHND-2D

485 GPM @ 10 PSI
300 GPM @ 50 PSI
210 GPM @ 75 PSI



PFP-23hpVGD-1D

560 GPM @ 10 PSI
200 GPM @ 100 PSI
125 GPM @ 125 PSI



PFP-30hpKHL-2D

535 GPM @ 10 PSI
250 GPM @ 75 PSI
55 GPM @ 125 PSI

Visit us at fire-pump.com



MANUFACTURING

NO HYDRANTS, NO PROBLEM



PORTABLE PUMPS

OUR PRODUCTS ARE DESIGNED IN USE OF FIRE
AND EMERGENCY ENVIRONMENTS

PFP = Portable Fire Pump
HND = Honda Gas Engine
VGD = Vanguard Gas Engine
KHL = Kohler Gas Engine
DSL = Diesel Engine
MR = Mid-Range

M = Manual Pull Start
E = Electric Push Button Start
Twin = Two Impellers
1D = One Discharge Line
2D = Two discharge Lines

Mid-Range Pumps



PFP-20hpHND-MR

290 GPM @ 50 PSI
190 GPM @ 100 PSI
45 GPM @ 200 PSI



PFP-21hp-DSL-MR

275 GPM @ 10 PSI
160 GPM @ 100 PSI
60 GPM @ 175 PSI

High-Pressure Pumps



PFP-9hp HND-EM-Twin

70 GPM @ 10 PSI
55 GPM @ 100 PSI
40 GPM @ 125 PSI



PFP-20hpHND-HP

140 GPM @ 50 PSI
60 GPM @ 200 PSI
25 GPM @ 275 PSI



PFP-6hpHND-EM-Twin

70 GPM @ 10 PSI
45 GPM @ 100 PSI
35 GPM @ 125 PSI



PFP-11hpHND-EM-HP

65 GPM @ 100 PSI
35 GPM @ 150 PSI
5 GPM @ 200 PSI



PFP-20hpKHL-HP

145 gpm at 50 psi
90 gpm at 150psi
20 gpm at 275 psi



PFP-18hpVGD-MR-CE

255 GPM @ 25 PSI
220 GPM @ 50 PSI
30 GPM @ 175 PSI



PFP-18hpVGD-MR

255 GPM @ 25 PSI
220 GPM @ 50 PSI
30 GPM @ 175 PSI



PFP-25hp-DSL-MR

315 GPM @ 10 PSI
230 GPM @ 100 PSI
105 GPM @ 175 PSI



PFP-23hpVGD-MR

285 GPM @ 10 PSI
195 GPM @ 100 PSI
35 GPM @ 225 PSI



PFP-9hpHND-M-Twin

70 GPM @ 10 PSI
55 GPM @ 100 PSI
40 GPM @ 125 PSI



PFP-6hpHND-M-Twin

70 GPM @ 10 PSI
45 GPM @ 100 PSI
35 GPM @ 125 PSI



PFP-18hpVGD-HP

115 GPM @ 50 PSI
70 GPM @ 150 PSI
20 GPM @ 250 PSI



PFP-11hpHND-M-HP

100 GPM @ 50 PSI
35 GPM @ 150 PSI
5 GPM @ 200 PSI



PFP-23hpVGD-HP

140 GPM @ 50 PSI
90 GPM @ 150 PSI
25 GPM @ 275 PSI



Cart Pump

- Deliver water by placing the intake hose/strainer into a lake, pond, swimming pool etc.
- The Cart Pump can deliver a fast fire fighting stream of **70 GPM @ 10PSI**, **65 GPM @ 50 PSI**, **45 GPM @ 100 PSI**, and **35 GPM @ 125 PSI** in difficult to access areas, as well as aid with drafting and water re-supply operations.
- A useful piece of equipment for fire departments, industrial fire brigades, and even residential use, commercial marinas and more.



High-Pressure Volume Pumps

Our Products are Designed for use in Fire and Emergency Environments



PFP-20hpKHL-MR

265 GPM @ 50 PSI
140 GPM @ 150 PSI
60 GPM @ 200 PSI



PFP-25hp-DSL

425 GPM @ 25 PSI
150 GPM @ 100 PSI
40 GPM @ 150 PSI



PFP-38hpKHL-MF

475 GPM @ 25 PSI
240 GPM @ 100 PSI
135 GPM @ 150 PSI



PFP-38hpKHL-2D

620 GPM @ 25 PSI
300 GPM @ 100 PSI
140 GPM @ 150 PSI



PFP-5hpHND-DW

200 GPM @ 10 PSI
100 GPM @ 35 PSI
15 GPM @ 60 PSI



PFP-14hpKHL-1D

375 GPM @ 5 PSI
200 GPM @ 50 PSI
90 GPM @ 75 PSI

Floating Pumps



PFP-6hp-FL

265 GPM @ 5 PSI
125 GPM @ 15 PSI
75 GPM @ 20 PSI



PFP-13hpHND-FL

300 GPM @ 15 PSI
260 GPM @ 25 PSI
150 GPM @ 50 PSI

Flow & PSI Chart

Call us at 800-567-2719

The Flow Starts Here
Powerful, Portable, Pumps
Since 1908

PUMP MODEL	MAX FLOW	25 PSI	50PSI	75PSI	100PSI	125PSI	150 PSI	175 SI	200PSI	225PSI	250PSI	300PSI	MAX PRESSURE
PFP-2hpHND-M	85	55	25	-	-	-	-	-	-	-	-	-	75
PFP-5hpHND-DW	200	100	-	-	-	-	-	-	-	-	-	-	45
PFP-6hp-FL	265	80	-	-	-	-	-	-	-	-	-	-	40
PFP-6hpHND-EM-TW & M	75	65	65	60	45	35	-	-	-	-	-	-	150
PFP-9hpHND-EM-TW & M	75	65	60	60	55	40	-	-	-	-	-	-	150
PFP-9hpHND-EM & M	250	200	140	100	60	-	-	-	-	-	-	-	125
PFP-9hp-DSL (yanmar)	350	240	130	15	-	-	-	-	-	-	-	-	90
PFP-10hp-DSL (hatz)	285	230	165	115	-	-	-	-	-	-	-	-	90
PFP-11hpHND-EM & M	290	250	190	120	80	-	-	-	-	-	-	-	120
PFP-11hpHND-EM-HP & M	135	115	100	90	65	45	35	20	5	-	-	-	205
PFP-13hpHND-FL	360	250	125	-	-	-	-	-	-	-	-	-	75
PFP-13hpHND-EM-HP80	230	190	140	100	60	-	-	-	-	-	-	-	120
PFP-14hpKHL-EM-1D & M	450	300	200	90	-	-	-	-	-	-	-	-	100
PFP-14hpKHL-EM-MR & M	240	215	170	130	105	45	-	-	-	-	-	-	140
PFP-18hpVGD-1D & CE	485	390	310	200	130	45	-	-	-	-	-	-	135
PFP-18hpVGD-2D & CE	540	370	250	150	90	15	-	-	-	-	-	-	130
PFP-18hpVGD-HP	150	125	115	110	100	80	70	55	45	35	20	-	305
PFP-18hpVGD-MR & CE	290	255	220	175	140	115	75	30	-	-	-	-	200
PFP-20hpHND-1D	570	470	375	285	130	-	-	-	-	-	-	-	110
PFP-20hpHND-2D	630	410	300	185	100	-	-	-	-	-	-	-	110
PFP-20hpHND-HP	155	150	140	130	125	115	100	80	60	50	40	15	340
PFP-20hpHND-MR	300	260	240	210	180	150	125	100	60	-	-	-	210
PFP-20hpKHL-1D	510	430	350	250	140	65	-	-	-	-	-	-	145
PFP-20hpKHL-2D	570	430	350	260	165	90	-	-	-	-	-	-	145
PFP-20hpKHL-HP	165	150	160	130	125	110	90	70	60	45	30	10	320
PFP-20hpKHL-MR	290	275	265	220	190	165	140	105	60	-	-	-	225
PFP-21hpDSL-MR	250	240	230	195	165	135	110	70	10	-	-	-	205
PFP-23hpVGD-1D & CE	550	455	350	260	160	-	-	-	-	-	-	-	120
PFP-23hpVGD-2D & CE	650	430	310	200	110	-	-	-	-	-	-	-	125
PFP-23hpVGD-HP	175	160	140	130	125	105	90	75	60	50	40	10	360
PFP-23hpVGD-MR & CE	300	275	265	225	195	170	150	120	80	30	-	-	240
PFP-25hpDSL-MR	315	305	300	280	230	190	145	105	-	-	-	-	190
PFP-25hp-DSL	675	420	315	245	145	100	40	-	-	-	-	-	160
PFP-27hp-2D	650	390	290	210	140	25	-	-	-	-	-	-	130
PFP-30hpKHL-2D	700	470	350	250	170	55	-	-	-	-	-	-	130
PFP-38hpKHL-MF	680	515	430	380	300	240	180	125	50	-	-	-	220


We build our Skid Units with only the best components available on the market. Our Skid Units are built with many standard features and a multitude of options to choose from to customize your own unit. Finally, every single skid unit is inspected and tested to make sure the product you receive meets your expectations.

- CET designs, engineers and manufactures our skid units from the ground up
- Customizable to meet your needs
- ISO 9001 Certified
- Know-How + Dependability + Efficiency = solid product at an affordable price.



Econo Pac Simple to operate, great for ranchers, farmers, homeowners in wild land interface areas and smaller fire agency vehicles.

Quick Skid Un



Ready Pac Features popular 6hp-Twin pump and is similar to Attack Pac, but without Booster Reel. Great for urban interface firefighting... car fires, dumpster fires and small room & contents fires.

The Flow Starts Here
Powerful, Portable, Pumps
Since 1908

Call us at 800-567-2719

Delivery it Models



Visit us at fire-pump.com



The Flow Starts Here
Powerful, Portable, Pumps
Since 1908
Call us at 800-567-2719



Attack Pac Sets the standard for Skid Unit mobile fire attack for firefighting agencies in more than 44 countries.



Forest Pac Great for Wild and Forestry fire fighting with larger capacity NFPA tank.



Skeeter Space Pac Small and nimble, great for firefighting/EMS use on ATV and UTV vehicles when navigating through large crowds of people at events, or in remote areas where pick-up size trucks are too big to go through.



Visit us at fire-pump.com



MANUFACTURING

NO HYDRANTS, NO PROBLEM



BRUSH TRUCKS



BRUSH TRUCKS & QUICK ATTACK UNITS




- Solid / Affordable / Practical
- Available in Polybody or aluminum
- Customized & standard designs available



The Flow Starts Here
Powerful, Portable, Pumps
Since 1908

Call us at 800-567-2719



No two CET Brush Trucks are exactly alike because no two fire departments are exactly alike. Highly customizable-CET makes our trucks to meet your fire departments specific needs.



Visit us at fire-pump.com



MANUFACTURING

NO HYDRANTS, NO PROBLEM






CET builds our own water tanks to NFPA standards ranging in size from 50 gallons to 2,000 gallons . CET also custom builds tanks for OEM fire truck manufacturers worldwide.

STANDARD TANK HEIGHT

CAPACITY \ LENGTH	96"	78"	76"	72"
150	15 1/2	21 1/4	21 3/4	23 3/4
200	20	27 1/2	28 1/4	33 1/4
225	22 1/4			
250	24 3/4	34		
300	29 1/4			
400	38			
500	46 7/8			





- Separate and distinct foam cells
- Cuts down divided warranty responsibility between component suppliers who build only tanks
- Tongue and Groove construction for better fit and finish
- All tanks spark tested before shipment
- Top and bottom tank gauges for quality assurance when final assembly and welding are complete
- Foam outlet manifolds are assembled in the bottom of the foam tank for better gravity feed to proportioner(s)
- Take advantage of the innovative storage features now standard options
- Quality Control ISO 9001 Company



QUALITY BUILT WATER TANKS

LIMITED LIFETIME WARRANTY


Know-How + Dependability + Efficiency = Solid products at affordable prices.



Sumps. Standard in all CET skid tanks



High speed CNC part production for quality form fit, finish and seal.



Exclusive "tongue and groove" sheet assembly for that Go-No-Go fit.

CUSTOM BUILT **FOAM** TRAILERS

CET Fire Pumps manufactures a variety of foam trailers from 150 to 2,000 gallons. These versatile trailers are ideal for use in industrial, commercial, municipal and forestry environments. Foam trailers provide a very effective tool for airport fuel storage and power plant installations.

- Completely designed, engineered and manufactured by CET craftsmen
- ISO 9001 Certification
- Customizable to your specific needs
- Know-How + Dependability + Efficiency = solid product at an affordable price.
- Class A Foam and Class B Foam increases efficiency and conservation of water supply



**500 Gallons
Foam Trailer**



**1000 Gallons
Foam Trailer**



**1000 Gallons
Re-supply Foam Trailer**

**A & B Foam Trailers
with Two Monitors**



**Single Tote
Foam Trailer**




**Dual Tote
Foam Trailer**



The Flow Starts Here
Powerful, Portable, Pumps
Since 1908

Call us at 800-567-2719



CUSTOM FLAT-BED GLIDER KITS

CET manufactures portable pumps, skid units, brush trucks and more to allow fire departments to Adapt, Improve & Extinguish fire in almost any scenario where hydrants are scarce and static water resources maybe all you have to work with. CET- Providing fire ground solutions since 1908

Advantages of A CET Glider Kit

- The Glider Kit package can be installed on a cab and chassis with supplied "U" bolts, Teflon "Dielectric" pads and brackets. This design allows the body and flatbed to withstand greater levels of stress that can distort other commercial style flat-beds. A truly "OFF ROAD" flatbed!
- A modular design allows removal from the chassis for major repair or mounting on a new chassis.
- Perfect for fire departments that have their own chassis
- Components are pre-assembled, pre-plumbed, pre-wired, and shipped to the OEM in a self-contained, tested unit.
- Perfect for OEM's, reduces "bay-time" as the CET Glider Kit can be installed in 24-48 hours. Mount, attach 4 "U" bolts, connect electrical and go fight fire



MANUFACTURING



Agriculture



Industria



Petro Chemical



Mining/Rail Road

Visit us at fire-pump.com

The Flow Starts Here
Powerful, Portable, Pumps

Since 1908

Call us at 800-567-2719

